
Django Decorator Plus Documentation

Release 0.1

Andrew Pinkham

September 03, 2015

1	Installing Django Decorator Plus	3
2	View Decorator Usage	5
2.1	Controlling HTTP Methods in Function Views	5
3	Django Decorator API	7
3.1	View Decorator API	7
4	Indices and tables	9
	Python Module Index	11

Contents:

Installing Django Decorator Plus

Releases of the project are stored on [PyPI](#), and may be installed with [pip](#).

```
$ pip install django-decorator-plus
```

To install the development version straight from [Github](#), it is possible to issue the following command.

```
$ pip install git+https://github.com/jambonrose/django-decorator-plus.git
```

View Decorator Usage

The package currently supplies decorators to improve your views.

- *Controlling HTTP Methods in Function Views*

2.1 Controlling HTTP Methods in Function Views

The view decorators provided are meant to restrict the HTTP methods allowed on a view. At the base of all of these decorators is the `require_http_methods()` decorator , which is an enhanced version of the decorator supplied by Django by the same name.

```
from decorator_plus import require_http_methods

@require_http_methods(["GET", "POST"])
def function_view(request):
    # The site will respond with an HTTP 405 error code if
    # the HTTP method is not: GET, HEAD, POST, OPTIONS
```

The `require_http_methods()` (in this package, not Django's) automatically supplies the OPTIONS HTTP method, and will automatically add the HEAD HTTP method if the GET method is allowed.

The package also supplies two shortcut decorators for your most common tasks:

- `require_safe_methods` limits views to GET and HEAD (and OPTIONS),
- `require_form_methods` limits views to GET, HEAD, and POST (and OPTIONS)

```
from decorator_plus import (
    require_form_methods,
    require_safe_methods,
)

@require_form_methods
def function_view_form(request):
    # equivalent to :
    # @require_http_methods(["GET", "HEAD", "POST"])

@require_safe_methods
def function_view_safe(request):
    # equivalent to :
    # @require_http_methods(["GET", "HEAD"])
```

Django Decorator API

- *View Decorator API*
-

3.1 View Decorator API

```
decorator_plus.view_decorators.require_form_methods(func)
```

Decorator to require that a function view only accept GET, HEAD and POST methods.

```
decorator_plus.view_decorators.require_http_methods(request_methods)
```

Decorator to make a function view only accept particular request methods. Usage:

```
@require_http_methods(["GET", "POST"])
def function_view(request):
    # HTTP methods != GET or POST results in 405 error code response
```

```
decorator_plus.view_decorators.require_safe_methods(func)
```

Decorator to require that a function view only accept safe methods: GET and HEAD.

Indices and tables

- genindex
- modindex
- search

d

`decorator_plus.view_decorators`, 7

D

decorator_plus.view_decorators (module), [7](#)

R

require_form_methods() (in module `decorator_plus.view_decorators`), [7](#)
require_http_methods() (in module `decorator_plus.view_decorators`), [7](#)
require_safe_methods() (in module `decorator_plus.view_decorators`), [7](#)